

TEC 200

Boiler Management System



The TEC 200 is a digital, intelligent multi-boiler management system with built in programmer, designed to control up to two small to medium sized commercial boilers operating on a common flow and return header and reduce consumed energy and CO₂ emissions. It is compatible with most makes and types of boilers using natural gas, oil or LPG.

Using the principal of Variable Thermal Response (VTR) together with time proven techniques including weather compensation, optimisation on and off, auto summer cut-off, flow and return system temperature sensing, night temperature, frost protection and hot water priority, the TEC 200 is able to provide maximum energy savings whilst maintaining comfort conditions.

An integral 7-day programmer provides up to two on/off periods per day with the ability to program independent mid and night periods in between the normal operating times. Safeguards against back end condensation are also catered for.



TECHNICAL SPECIFICATION

Mains Supply
Consumption
Switching Mode
Switching Current
Boiler Suitability
No. of Channels
Standard Equipment

User Adjustments
Viewing Indicators
Indicator Type
Physical Size

240V AC 50Hz 1Ph
6VA
Volt Free
8 Amp
Up to two small to medium sized boilers on a common header
2 Boilers and 1 Plant
1 Main Controller, 1 Flow Sensor, 1 Return Sensor, 1 External Sensor, built in Time Clock

Extensive Programming Menu, Active/Bypass Switch
Current Mode, Date, Time, System Temperatures
LCD Display
220mm W x 145mm H x 80mm D

Total Energy Controls (UK) Ltd

Marcus House
Parkhall Business Village
Stoke-on-Trent
Staffordshire
ST3 5XA

Tel: +44(0)1782 599313
Fax: +44(0)1782 599224

Email: info@totalenergycontrols.co.uk
Web: www.totalenergycontrols.co.uk

